



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

Polycarboxylate wr series for water reduction

Main Performance:

1. Polycarboxylate wr series for water reduction is Suits for different types of cement and acts as good dispersant, especially for early strength cement.
2. The water reducing rate can reach 30% with recommended intermingled quantity.
3. Polycarboxylate wr series for water reduction can Improve the durability and impermeability of concrete and reduce the contractibility, efficiently reduce the bad effects of crack of concrete.
4. Air content is controlled less than 3.5%. Or you can adjust the dosage according to special requirement.

Instructions:

1. Confirm the best dosage of PCE after testing according to different requirement of concrete.
2. Polycarboxylate wr series for water reduction with sand, stone, cement and other material together. The function will

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com




Shandong Zhuoxing Chemical Co., Ltd. Zibo Zhuoxing Enterprises Co., Ltd.

be better if you mix PCE with intermingled concrete.

3. Stir the product well before use if the storage is more than 2 months.

Company profile





Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

Company Introduction

Zibo Zhuoxing Enterprises Co., Ltd is an international trade company of Shandong Zhuoxing Chemical Co., Ltd., which is a fine chemical manufacturer with Polyoxyethylene ether HPEG 2400, TPEG 2400, EPEG 3000 with annual capacity 70,000 tons and output 60,000 tons, Polycarboxylate Superplasticizer (PCE) in liquid form and Polycarboxylate Superplasticizer Powder (PCE powder) with total annual capacity of 100,000 tons. We also produce liquid defoamer XP-11 for concrete and powder defoamer XP-12 for dry mixtures.

We develop the most advanced new material, the R&D team is always trying to keep the production technology updated by maintaining its communication with some universities and scientific centers in China.



www.zhuoxingchem.com | sales@zhuoxingchem.com

Special Features:

1, High Water Reduction: The Water Reduction Rate Of Concrete Is Above 29%–38%

Mobile/Wechat: 0086 13053363281, 0086 17865273019

Mail: sales@zhuoxingchem.com, sales02@zhuoxingchem.com

Web site: <https://www.sdzhuoxingpce.com>, www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

2,High Slump Retention Ability:delay Time Of Transporting Concrete And Time Of Detention At Construction Site

3,Excellent Workability.High Fluidity,Easily Depositing And Compacting.Make Concrete Reducing Viscosity,Without Bleeding And Segregation, Easily Pumping.

4,Wide Adaptability:It Is Compatible With Ordinary Silicate Cement, Silicate Cement, Slag Silicate Cement And All Kinds Of Blendings Having Excellent Dispersibility And Plasticity

5,Excellent Durability: Low Lacunarate,Low Alkali And Chlorin-Ion Content. Enhancing Concrete Strength And Durability

6,Environmental Friendly Products: No Pollution During Production

Uses

1.Widly Used In High Strength Concrete For Railway, Haven, Traffic, Bridge And Electric Power.

2. It Is Excellent Superplasticizer In Premix Of Construction And Cast-In-Place Concrete.

3. It Is Especially Suitable For The Preparation Of High

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com



Shandong Zhuoxing Chemical Co., Ltd.
Zibo Zhuoxing Enterprises Co., Ltd.

Strength, High Durability Self-Compacting, Steel Fiber And
Self-Leveling Concrete.

Mobile/Wechat:0086 13053363281,0086 17865273019

Mail:sales@zhuoxingchem.com,sales02@zhuoxingchem.com

Web site:<https://www.sdzhuoxingpce.com>,www.zhuoxingchem.com